

DT 8728



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

D2932-2

Job Sheet 203782



Part No: D2932-2

Job Qty: 6 pcs

Part Name: Saddle RH Out, 206



Part Weight: 0 lbs

Status: New

Priority: Medium

Job Created: 11/27/19

Job Tracking No:

Due Date: ~~11/12/20~~ 1-13-2020

Created By: Jennifer Renwick

Type: Stock

Description:

Note: DWG REV C IPP: B 00.06.26 New DWG rev (mpp 2069) EC IPP Rev:C As per Rev C 07-03-19 JLM

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard	Workcenter/Supplier		Sign-off
					Setup Run Hrs Hrs	Workcenter / Supplier	Lead Time	
100	HAAS 4 Axis	6 pcs	11/12/20		0.53 6.98	HAAS - 1		
						HAAS - 2		
						HAAS - 3		
						HAAS - 4		
110	Conventional Mill - 1 - B4B	6 pcs	11/12/20		0.00 1.00	Conventional Mill - 1 - B4B		
						Conventional Mill - 2 - B4B		
120	QC 2	6 pcs	11/12/20		0.00 0.00	QC 2 - 1		
						QC 2 - 12		
						QC 2 - 14		
						QC 2 - 17		
						QC 2 - 19		
						QC 2 - 2		
						QC 2 - 20		
						QC 2 - 22		
						QC 2 - 23		
						QC 2 - 25		
						QC 2 - 32		
						QC 2 - 33		
						QC 2 - 35		
						QC 2 - 39		
						QC 2 - 4		
						QC 2 - 40		
						QC 2 - 44		
						QC 2 - 45		
						QC 2 - 48		
						QC 2 - 49		
						QC 2 - 50		
						QC 2 - 51		
						QC 2 - 52		
						QC 2 - 57		



Container No: S255266



Part: D2932-2

Job No: 203782

Serial No/Batch: S255266

Revision:

Inspector:

Exp Date:

Instructions: Various STC's

Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
CANADA
TEL.: 1 613 632-5200
Email: sales@dartaero.com
www.dartaerospace.com

Date: 02/12/20

Plex 11/27/19 11:56 AM Dart.Renwick.Jennifer

				QC 2 - 62	
				QC 2 - 63	
				QC 2 - 8	
				QC 2 - 66	
				QC 2 - 64	
				QC 2 - 65	
				QC 2 - 5	
				QC 2 - 71	
				QC 2 - 73	DSP 20-02-14
				QC 2 - 69	
130 QC 8	6	11/12/20	0.00 0.00	QC 8 - 12	
	pcs			QC 8 - 14	20/02/16
				QC 8 - 17	
				QC 8 - 20	
				QC 8 - 25	
				QC 8 - 3	
				QC 8 - 32	
				QC 8 - 33	
				QC 8 - 35	
				QC 8 - 39	
				QC 8 - 4	
				QC 8 - 44	
				QC 8 - 45	
				QC 8 - 49	
				QC 8 - 58	
				QC 8 - 8	
				QC 8 - 9	
				QC 8 - 68	
				QC 8 - 67	
				QC 8 - 1 (A)	
				QC 8 - 47	
				QC 8 - 40	FEB 25 2020
				QC 8 - 52	
				QC 8 - 23	
				QC 8 - 57	
				QC 8 - 76	
				QC 8 - 61	
140 Handfinish - 1-1 Chemical-B4B	6	11/12/20	0.00 0.34	Handfinish - 1 - 1 - B4B	
	pcs			Handfinish - 1 - 2 - B4B	
				Handfinish - 1 - 3 - B4B	FEB 17 2020
				Handfinish - 1 - 4 - B4B	
				Handfinish - 1 - 5 - B4B	
				Handfinish - 1 - 6 - B4B	
				Handfinish - 1 - 7 - B4B	
				Handfinish - 1 - 8 - B4B	
				Handfinish - 1 - 9 - B4B	
				Handfinish - 1 - 10 - B4B	
				Handfinish - 1 - 11 - B4B	
				Handfinish - 1 - 12 - B4B	
				Handfinish - 1 - 13 - B4B	
				Handfinish - 1 - 14 - B4B	
				Handfinish - 1 - 15 - B4B	
				Handfinish - 1 - 16 - B4B	
				Handfinish - 1 - 17 -	

Plex 11/27/19 11:56 AM Dart.Renwick.Jennifer

						B4B	
						Handfinish - 1 - 18 - B4B	
						Handfinish - 1 - 19 - B4B	
						Handfinish - 1 - 20 - B4B	
						Handfinish - 1 - 21 - B4B	
						Handfinish - 1 - 22 - B4B	
150 Powdercoat - 1 White GI(A)- B4B	6 pcs	11/12/20	0.00	0.24		Powdercoat - 1 - B4B	
START: 7:50 N.T. 30' FINISH 18:20						Powdercoat - 2 - B4B	
						Powdercoat - 3 - B4B	20-02-20 8:38
						Powdercoat - 4 - B4B	
160 QC 3	6 pcs	11/12/20	0.00	0.00		QC 3 - 10	
						QC 3 - 13	
						QC 3 - 15	
						QC 3 - 17	
						QC 3 - 18	
						QC 3 - 2	
						QC 3 - 28	
						QC 3 - 3	
						QC 3 - 30	
						QC 3 - 34	
						QC 3 - 36	
						QC 3 - 41	
						QC 3 - 51	
						QC 3 - 58	
						QC 3 - 59	
						QC 3 - 68	
						QC 3 - 9	
						QC 3 - 40	FEB 25 2020 DAS 40 9-89
						QC 3 - 19	
						QC 3 - 43	
						QC 3 - 24	
						QC 3 - 61	
						QC 3 - 81	
170 Packaging 3-1 - Stock - B4B	6 pcs	11/12/20	0.00	0.00		Packaging 3 - 1 - B4B	
						Packaging 3 - 2 - B4B	
						Packaging 3 - 3 - B4B	
						Packaging 3 - 4 - B4B	
						Packaging 3 - 5 - B4B	
						Packaging 3 - 6 - B4B	DAS 28 9-89
						Packaging 3 - 7 - B4B	
						Packaging 3 - 8 - B4B	
						Packaging 3 - 9 - B4B	
						Packaging 3 - 10 - B4B	
						Packaging 3 - 11 - B4B	
						Packaging 3 - 12 - B4B	
						Packaging 3 - 13 - B4B	
						Packaging 3 - 14 - B4B	
						Packaging 3 - 15 - B4B	
						Packaging 3 - 16 - B4B	
						Packaging 3 - 17 - B4B	
						Packaging 3 - 18 - B4B	
						Packaging 3 - 19 - B4B	
						Packaging 3 - 20 - B4B	
						Packaging 3 - 21 - B4B	
						Packaging 3 - 22 - B4B	

Plex 11/27/19 11:56 AM Dart.Renwick.Jennifer

				Packaging 3 - 23 - B4B	
				Packaging 3 - 24 - B4B	
				Packaging 3 - 25 - B4B	
				Packaging 3 - 26 - B4B	
				Packaging 3 - 27 - B4B	
				Packaging 3 - 28 - B4B	
				Packaging 3 - 29 - B4B	
				Packaging 3 - 30 - B4B	
				Packaging 3 - 31 - B4B	
				Packaging 3 - 32 - B4B	
				Packaging 3 - 33 - B4B	
				Packaging 3 - 34 - B4B	
				Packaging 3 - 35 - B4B	
				Packaging 3 - 36 - B4B	
180 QC 21 - SA	6 pcs	11/12/20	0.00 0.00	QC 21 - SA - 21	DAS
				QC 21 - SA - 70	21
				QC 21 - SA - 53	9-27
Part Op 100 - (HAAS CNC Vertical Machine) Program part number and batch number. Descriptions: 110 - (Manufacture as per dwg) Machine Keyway and inspect per attached dimension sheet 120 - QC2- Inspect parts off machine FAI/FAIB 130 - (QC8- Inspect parts - second check) 140 - (Chemical Conversion Coat per QSI005 4.1) 150 - (White Gloss(Ref:4.3.5.1) per QSI005 4.3-Alum) 160 - (QC3- Inspect Part Finish) 170 - (Identify as per dwg & Stock Location: _____) 180 - (QC21- Final Inspection - Work Order Release)					
Job BOM					
Part / Item	Component Name	Quantity	Operation	Container	
D6101-003	Saddle Billet, 7075	6 pcs (1 ea)	100-HAAS 4 Axis	2x 5229000	
				4x 5229054	
Job Allocations					
Operation	Component Part	Required	Inventory	Allocated	
100-HAAS 4 Axis	D6101-003	6	28	0	
Part Specifications					
Specifications could not be found.					

Plex 11/27/19 11:56 AM Dart.Renwick.Jennifer

DART AEROSPACE LTD	Work Order:	203782
Description: 206 Saddle, Outboard, Right side	Part Number:	D2932-2
Inspection Dwg: D2932 Rev. C		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2932 Rev. C and record below:

				Recorded Actual Dimensions					
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	By	Date
A	0.100	0.140		0.125	0.123	0.124	0.125		
B	0.100	0.140		0.126	0.126	0.126	0.124		
C	0.100	0.140		0.120	0.120	0.120	0.120		
D	0.210	0.230		0.227	0.228	0.228	0.227		
E	1.245	1.255		1.250	1.250	1.250	1.250		
F	1.245	1.255		1.250	1.250	1.250	1.250		
G	2.495	2.505		2.500	2.500	2.500	2.500		
H	0.510	0.515		0.511	0.511	0.511	0.511		
I	1.572	1.582		1.577	1.577	1.577	1.577		
J	2.495	2.505		2.500	2.500	2.500	2.500		
K	0.257	0.262		0.258	0.258	0.258	0.258		
L	0.312	0.317		0.313	0.313	0.313	0.313		
M	0.235	0.240		0.239	0.239	0.239	0.239		
N	0.100	0.140		0.116	0.117	0.118	0.117		
O	0.540	0.560		0.545	0.547	0.546	0.547		
P	0.490	0.510		0.501	0.500	0.499	0.500		
Q	3.715	3.725		3.720	3.720	3.720	3.720		
R	2.470	2.510		2.495	2.495	2.495	2.495		
S	0.240	0.270		0.255	0.255	0.254	0.255		
T	0.100	0.180		0.135	0.135	0.135	0.135		
U	1.625	1.635		1.630	1.630	1.630	1.630		
V	1.362	1.372		1.367	1.367	1.367	1.367		
W	0.316	0.321		0.316	0.316	0.316	0.316		
X	1.125	1.145		1.135	1.135	1.135	1.135		
Y	1.565	1.585		1.575	1.575	1.575	1.575		
Z	0.178	0.198		0.188	0.188	0.188	0.188		
AA									
AB									
AC									
AD									
AE									
AF									
AG									
AH									
Accept/Reject									

Measured by:	DJP
Date:	20-02-13

Audited by:	JLM
Date:	20/02/16

Rev	Date	Change	Revised by	Approved
A		New Issue	RF	
B	02.12.12	Re-format; Added Dim. X-Y, DT8683, DT8686, DT8690	KJ/RF	
C	07.03.21	Revised per drawing revision C	KJ/JLM	

DART AEROSPACE LTD	Work Order: 203782
Description: 206 Saddle, Outboard, Right side	Part Number: D2932-2
Inspection Dwg: D2932 Rev. C	Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2932 Rev. C and record below:

				Recorded Actual Dimensions					
Dim	Min	Max	Go/No Go Gauge	5	6	1	1	By	Date
A	0.100	0.140		0.125	0.123				
B	0.100	0.140		0.124	0.126				
C	0.100	0.140		0.120	0.120				
D	0.210	0.230		0.227	0.228				
E	1.245	1.255		1.250	1.250				
F	1.245	1.255		1.250	1.250				
G	2.495	2.505		2.500	2.500				
H	0.510	0.515		0.511	0.511				
I	1.572	1.582		1.577	1.577				
J	2.495	2.505		2.500	2.500				
K	0.257	0.262		0.258	0.258				
L	0.312	0.317		0.313	0.313				
M	0.235	0.240		0.238	0.238				
N	0.100	0.140		0.118	0.119				
O	0.540	0.560		0.547	0.546				
P	0.490	0.510		0.501	0.500				
Q	3.715	3.725		3.720	3.720				
R	2.470	2.510		2.495	2.495				
S	0.240	0.270		0.255	0.254				
T	0.100	0.180		0.135	0.135				
U	1.625	1.635		1.630	1.630				
V	1.362	1.372		1.367	1.367				
W	0.316	0.321		0.316	0.316				
X	1.125	1.145		1.135	1.135				
Y	1.565	1.585		1.575	1.575				
Z	0.178	0.198		0.188	0.188				
AA									
AB									
AC									
AD									
AE									
AF									
AG									
AH									
Accept/Reject									

Measured by: JJP
Date: 20-02-14

Audited by: JJP
Date: 20/02/14

Rev	Date	Change	Revised by	Approved
A		New Issue	RF	
B	02.12.12	Re-format; Added Dim. X-Y, DT8683, DT8686, DT8690	KJ/RF	
C	07.03.21	Revised per drawing revision C	KJ/JLM	